


IN THE DRAWINGS

Replacement formal drawings (12 sheets), including the changes noted below, accompany this Amendment. Please approve the drawings, which are amended as follows:

- In FIG. 3, "UNITCAST" is changed to --UNICAST-- (six instances).



Transmittal
of
Formal
Drawings

Application No.:	09/617,440
Appl'n Filing Date:	July 14, 2000
Examiner:	Daniel K. LAM
Art Unit:	2667
Attorney Docket:	03493.00084 IDS 2003-0403
First Inventor:	Jin-Meng HO <i>et al.</i>
Title of Invention:	RSVP/SBM BASED SIDE-STREAM SESSION SETUP, MODIFICATION, AND TEARDOWN FOR QOS-DRIVEN WIRELESS LANS

Mail Stop AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RECEIVED
SEP 16 2004
Technology Center 2600

Sir:


Submitted herewith are twelve (12) sheets of substitute formal drawings, with FIG. 3 amended to correct the spelling of "UNICAST" (six instances).

It is requested that the substitute formal drawings be approved and entered into the PTO's prosecution history file wrapper, and that confirmation of such approval and entry be sent to Applicants' representative in the next official communication.

Respectfully submitted,

Date: September 9, 2004


For Customer No. 26,652
AT&T Corp.
Room 2A-207
One AT&T Way
Bedminster, New Jersey 07921

By: 

Raymond C. Glenny
Registration No. 32,413
Telephone: 301.464.0431



1/12



2/12

FIG. 2






FIG. 3





3/12

FIG. 4





4/12

FIG. 5






FIG. 6

SCHEDULING TABLE	
DESCENDING PRIORITIES ↓	(VDS VSID, QoS PARAMETER VALUES, DATA SIZE)
	(VUS VSID, QoS PARAMETER VALUES, DATA SIZE)
	(VSS VSID, QoS PARAMETER VALUES, DATA SIZE)
	⋮
	(VUS VSID, QoS PARAMETER VALUES, DATA SIZE)
	(VUS VSID, QoS PARAMETER VALUES, DATA SIZE)
	(VSS VSID, QoS PARAMETER VALUES, DATA SIZE)
	(VDS VSID, QoS PARAMETER VALUES, DATA SIZE)
	(VDS VSID, QoS PARAMETER VALUES, DATA SIZE)



5/12


FIG. 7






6/12

FIG. 8





7/12

FIG. 9








FIG. 10





9/12

FIG. 11a





10/12

FIG. 11b






FIG. 11c






11/12

FIG. 12a





12/12

FIG. 12b

CF-MULTIPOLL FRAME					
FRAME CONTROL	DURATION/ID	BSS ID	RECORD COUNT	POLL RECORDS	FCS
				AID/VSID	TO DURATION